

**ASME Y14.5-2009**  
[Revision of ASME Y14.5M-1994 (R2004)]

# Dimensioning and Tolerancing

**Engineering Drawing and Related  
Documentation Practices**

AN INTERNATIONAL STANDARD



**The American Society of  
Mechanical Engineers**



Copyright © 2009 by the American Society of Mechanical Engineers.  
No reproduction may be made of this material without written consent of ASME.



Date of Issuance: March 27, 2009

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda or written interpretations of the requirements of this Standard issued to this edition.

Periodically certain actions of the ASME Y14 Committee may be published as Cases. Cases are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Three Park Avenue, New York, NY 10016-5990

Copyright © 2009 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.



# CONTENTS

|   |           |
|---|-----------|
| Foreword .....  | vi        |
| Committee Roster .....  | viii      |
| Correspondence With the Y14 Committee .....   | ix        |
| <b>Section 1 Scope, Definitions, and General Dimensioning .....</b>                                   | <b>1</b>  |
| 1.1 Scope .....   | 1         |
| 1.2 References .....  | 1         |
| 1.3 Definitions .....   | 2         |
| 1.4 Fundamental Rules .....   | 7         |
| 1.5 Units of Measure .....  | 8         |
| 1.6 Types of Dimensioning .....   | 9         |
| 1.7 Application of Dimensions .....   | 10        |
| 1.8 Dimensioning Features .....   | 13        |
| 1.9 Location of Features .....  | 20        |
| <b>Section 2 General Tolerancing and Related Principles .....</b>                                     | <b>24</b> |
| 2.1 General .....   | 24        |
| 2.2 Direct Tolerancing Methods .....  | 24        |
| 2.3 Tolerance Expression .....  | 25        |
| 2.4 Interpretation of Limits .....  | 26        |
| 2.5 Single Limits .....   | 26        |
| 2.6 Tolerance Accumulation .....  | 26        |
| 2.7 Limits of Size .....  | 27        |
| 2.8 Applicability of Modifiers on Geometric Tolerance Values and Datum Feature References .....       | 29        |
| 2.9 Screw Threads .....   | 31        |
| 2.10 Gears and Splines .....  | 31        |
| 2.11 Boundary Conditions .....  | 31        |
| 2.12 Angular Surfaces .....   | 31        |
| 2.13 Conical Tapers .....   | 35        |
| 2.14 Flat Tapers .....  | 35        |
| 2.15 Radius .....   | 36        |
| 2.16 Tangent Plane .....  | 36        |
| 2.17 Statistical Tolerancing .....  | 36        |
| <b>Section 3 Symbology .....</b>  | <b>38</b> |
| 3.1 General .....   | 38        |
| 3.2 Use of Notes to Supplement Symbols .....  | 38        |
| 3.3 Symbol Construction .....   | 38        |
| 3.4 Feature Control Frame Symbols .....   | 44        |
| 3.5 Feature Control Frame Placement .....   | 46        |
| 3.6 Definition of the Tolerance Zone .....  | 46        |
| 3.7 Tabulated Tolerances .....  | 46        |
| <b>Section 4 Datum Reference Frames .....</b>   | <b>48</b> |
| 4.1 General .....   | 48        |
| 4.2 Degrees of Freedom .....  | 48        |
| 4.3 Degrees of Freedom Constrained by Primary Datum Features<br>Regardless of Material Boundary ..... | 48        |
| 4.4 Constraining Degrees of Freedom of a Part .....   | 48        |
| 4.5 Datum Feature Simulator .....   | 53        |
| 4.6 Theoretical and Physical Application of Datum Feature Simulators .....                            | 53        |
| 4.7 Datum Reference Frame .....   | 53        |



|                  |   |            |
|------------------|---|------------|
| 4.8              | Datum Features .....  | 57         |
| 4.9              | Datum Feature Controls .....  | 58         |
| 4.10             | Specifying Datum Features in an Order of Precedence .....                                   | 58         |
| 4.11             | Establishing Datums .....   | 59         |
| 4.12             | Multiple Datum Features .....   | 65         |
| 4.13             | Mathematically Defined Surface .....  | 69         |
| 4.14             | Multiple Datum Reference Frames .....   | 69         |
| 4.15             | Functional Datum Features .....   | 69         |
| 4.16             | Rotational Constraint About a Datum Axis or Point .....                                     | 70         |
| 4.17             | Application of MMB, LMB, and RMB to Irregular Features of Size .....                        | 74         |
| 4.18             | Datum Feature Selection Practical Application .....   | 75         |
| 4.19             | Simultaneous Requirements .....   | 76         |
| 4.20             | Restrained Condition .....  | 79         |
| 4.21             | Datum Reference Frame Identification .....  | 79         |
| 4.22             | Customized Datum Reference Frame Construction .....   | 81         |
| 4.23             | Application of a Customized Datum Reference Frame .....                                     | 81         |
| 4.24             | Datum Targets .....   | 83         |
| <b>Section 5</b> | <b>Tolerances of Form .....</b>   | <b>91</b>  |
| 5.1              | General .....   | 91         |
| 5.2              | Form Control .....  | 91         |
| 5.3              | Specifying Form Tolerances .....  | 91         |
| 5.4              | Form Tolerances .....   | 91         |
| 5.5              | Application of Free-State Symbol .....  | 95         |
| <b>Section 6</b> | <b>Tolerances of Orientation .....</b>  | <b>99</b>  |
| 6.1              | General .....   | 99         |
| 6.2              | Orientation Control .....   | 99         |
| 6.3              | Orientation Symbols .....   | 99         |
| 6.4              | Specifying Orientation Tolerances .....   | 99         |
| 6.5              | Tangent Plane .....   | 103        |
| 6.6              | Alternative Practice .....  | 103        |
| <b>Section 7</b> | <b>Tolerances of Location .....</b>   | <b>108</b> |
| 7.1              | General .....   | 108        |
| 7.2              | Positional Tolerancing .....  | 108        |
| 7.3              | Positional Tolerancing Fundamentals: I .....  | 108        |
| 7.4              | Positional Tolerancing Fundamentals: II .....   | 119        |
| 7.5              | Pattern Location .....  | 127        |
| 7.6              | Coaxial Feature Controls .....  | 148        |
| 7.7              | Tolerancing for Symmetrical Relationships .....   | 156        |
| <b>Section 8</b> | <b>Tolerances of Profile .....</b>  | <b>158</b> |
| 8.1              | General .....   | 158        |
| 8.2              | Profile .....   | 158        |
| 8.3              | Tolerance Zone Boundaries .....   | 158        |
| 8.4              | Profile Applications .....  | 165        |
| 8.5              | Material Condition and Boundary Condition Modifiers as<br>Related to Profile Controls ..... | 167        |
| 8.6              | Composite Profile .....   | 167        |
| 8.7              | Multiple Single-Segment Profile Tolerancing .....   | 175        |
| 8.8              | Combined Controls .....   | 175        |
| <b>Section 9</b> | <b>Tolerances of Runout .....</b>   | <b>180</b> |
| 9.1              | General .....   | 180        |
| 9.2              | Runout .....  | 180        |
| 9.3              | Runout Tolerance .....  | 180        |
| 9.4              | Types of Runout Tolerances .....  | 180        |
| 9.5              | Application .....   | 182        |
| 9.6              | Specification .....   | 182        |



|                                |   |            |
|--------------------------------|---|------------|
| <b>Nonmandatory Appendices</b> |   |            |
| A                              | Principal Changes and Improvements .....          | 185        |
| B                              | Formulas for Positional Tolerancing .....         | 191        |
| C                              | Form, Proportion, and Comparison of Symbols ..... | 194        |
| D                              | Former Practices .....                            | 199        |
| E                              | Decision Diagrams for Geometric Control .....     | 200        |
| <b>Index</b>                   | .....   | <b>207</b> |

