

DRAFT STANDARD FOR TRIAL USE

DSTU X9.100-172-1-2007

Specifications for the Validation of Interoperable Check Security Features (ICSF)

Part 1 – Overview and Security Marks



Publication of this draft standard for trial use and comment has been approved by Accredited Standards Committee X9. Distribution of this draft standard for comment shall not continue beyond 36 months from the date of publication. It is expected that following this 36 month period, this draft standard, revised as necessary, will be submitted to the American National Standards Institute for approval as an American National Standard. A public review in accordance with established ANSI "Essential Requirements" is required at the end of the trial use period and before a draft standard for trial use may be submitted to ANSI for approval as an American National Standard. This draft standard is not an American National Standard. Suggestions for revision should be directed to the Accredited Standards Committee ASC X9, Incorporated, 1212 West Street, Suite 200 Annapolis, MD 21401.

**Accredited Standards Committee X9, Incorporated
Financial Industry Standards**

American National Standards, Technical Reports, and Guides developed through the Accredited Standards Committee X9, Inc., are copyrighted. Copying these documents for personal or commercial use outside X9 membership agreements is prohibited without express written permission of the Accredited Standards Committee X9, Inc. For additional information please contact ASC X9, Inc., 1212 West Street Suite 200, Annapolis, Maryland, 21401.

Contents

- Foreword.....vi
- Introductionvii
- 1 Introduction1
 - 1.1 Purpose.....1
 - 1.2 Scope1
- 2 Normative References2
- 3 Terms and Definitions3
 - 3.1 account directory (DSTU X9.100-172-1)4
 - 3.2 aligning edge (ANS X9.100-160-1/X9.13)4
 - 3.3 applicant (DSTU X9.100-172-4)4
 - 3.4 bank (DSTU X9.100-172-1)4
 - 3.5 check acceptor (A) (DSTU X9.100-172-1)4
 - 3.6 check acceptor (B) (DSTU X9.100-172-1)4
 - 3.7 check fraud (DSTU X9.100-172-1)4
 - 3.8 check image (DSTU X9.100-172-1)4
 - 3.9 check imager (DSTU X9.100-172-1).....4
 - 3.10 check issuer (A) (DSTU X9.100-172-1).....5
 - 3.11 check issuer (B) (DSTU X9.100-172-1).....5
 - 3.12 check printer (DSTU X9.100-172-1)5
 - 3.13 check security feature (DSTU X9.100-172-1).....5
 - 3.14 clear area (DSTU X9.100-172-1).....5
 - 3.15 customer enroller (DSTU X9.100-172-1)5
 - 3.16 feature vendor (DSTU X9.100-172-1).....5
 - 3.17 field value (DSTU X9.100-172-1)5
 - 3.18 ICSF registration authority (DSTU X9.100-172-1)5
 - 3.19 ICSF registration management group (ICSF RMG) (DSTU X9.100-172-4).....5
 - 3.20 ICSF registry (DSTU X9.100-172-1)6
 - 3.21 image (digital image) (ANS X9.100-161/X9.47).....6
 - 3.22 image-survivable security feature (ISSF) (DSTU X9.100-172-1).....6
 - 3.23 interoperability (DSTU X9.100-172-1).....6
 - 3.24 interoperable check security feature (ICSF) (DSTU X9.100-172-1)6
 - 3.25 interoperable image-survivable check security feature (IISCSF) (DSTU X9.100-172-1).....6
 - 3.26 interoperable image-survivable check security feature area of interest (IISCSF area of interest) (DSTU X9.100-172-1).....6
 - 3.27 interoperable image-survivable check security feature clear area (IISCSF clear area) (DSTU X9.100-172-1).....6
 - 3.28 interoperable image-survivable check security feature scan area (IISCSF scan area) (DSTU X9.100-172-1).....7
 - 3.29 leading edge (ANS X9.100-160-1/X9.13)7
 - 3.30 mark (DSTU X9.100-172-1)7
 - 3.31 mark preamble (DSTU X9.100-172-1)7
 - 3.32 message set (DSTU X9.100-172-1)7
 - 3.33 MICR line (DSTU X9.100-172-1)7
 - 3.34 paxel (ANS X9.7/X9.100-30).....7
 - 3.35 paxel count (ANS X9.7/X9.100-30).....7
 - 3.36 payload (DSTU X9.100-172-1)7
 - 3.37 print contrast signal (PCS) (ANS X9.7/X9.100-30)8

3.38	protection profile (DSTU X9.100-172-1).....	8
3.39	purchaser (DSTU X9.100-172-1).....	8
3.40	reflectance (ANS X9.7/X9.100-30).....	8
3.41	return reason code (ANS X9.100-140/X9.90).....	8
3.42	role (DSTU X9.100-172-1).....	8
3.43	RT feature list (DSTU X9.100-172-1).....	8
3.44	rules maker (DSTU X9.100-172-1).....	8
3.45	security feature/technique (ANS X9.100-170/X9.51).....	8
3.46	security feature ID (DSTU X9.100-172-1).....	8
3.47	security mark (DSTU X9.100-172-1).....	9
3.48	snippet (DSTU X9.100-172-1).....	9
3.49	standard check layout (DSTU X9.100-172-1).....	9
3.50	standards provider (DSTU X9.100-172-1).....	9
3.51	substitute check (ANS X9.100-140/X9.90).....	9
3.52	symbology (DSTU X9.100-172-1).....	9
3.53	trailing edge (ANS X9.100-160-1/X9.13).....	9
3.54	validation (DSTU X9.100-172-1).....	9
3.55	validator (DSTU X9.100-172-1).....	9
3.56	verification authority (DSTU X9.100-172-1).....	9
4	Framework Definition.....	10
4.1	Security Features.....	10
4.1.1	Interoperable Check Security Features.....	10
4.1.2	Security Marks.....	10
4.1.3	ICSF and Security Marks.....	10
4.2	Roles.....	11
4.2.1	Check Acceptor (Type A).....	11
4.2.2	Check Acceptor (Type B).....	11
4.2.3	Check Imager.....	11
4.2.4	Check Issuer (Type A).....	11
4.2.5	Check Issuer (Type B).....	11
4.2.6	Check Printer.....	12
4.2.7	Customer Enroller.....	12
4.2.8	Feature Vendor.....	12
4.2.9	ICSF Registration Authority.....	12
4.2.10	Purchaser.....	12
4.2.11	Rules Maker.....	12
4.2.12	Standards Provider.....	13
4.2.13	Validator.....	13
4.2.14	Verification Authority.....	13
4.3	Role Involvement Table.....	13
4.4	ICSF Framework for the Implementation of IICCSFs.....	14
4.5	Data Requirements: Account Directory, ICSF Registry, and RT Feature List.....	14
4.6	Communication and Message Requirements.....	15
4.7	Substitute Checks.....	15
4.7.1	Original Security Feature.....	15
4.7.2	IRD Security Features.....	15
4.7.3	Survivability of a Security Mark from an IRD.....	15
4.8	Informative – Implementation Options.....	15
4.8.1	Start of Operation.....	15
4.8.2	Operational Cases.....	16
5	Security Marks.....	17
5.1	IICCSF Requirements.....	17
5.1.1	Visibility.....	17

5.1.2	Image Survivability Minimum	17
5.1.3	IISCSF Symbology	17
5.1.4	IISCSF Using Multiple Symbols.....	17
5.1.5	IISCSF Protection	17
5.1.6	Mark Removal.....	18
5.2	Printing Specifications	19
5.2.1	Interoperable Image-Survivable Check Security Feature Scan Area (IISCSF Scan Area)	20
5.2.2	IISCSF Area of Interest.....	22
5.2.3	IISCSF Clear Area	22
5.2.4	IISCSF Printing.....	22
5.3	Mark Preamble	24
5.3.1	Use of a Preamble.....	24
5.3.2	Printing of Preamble.....	24
5.3.3	Location of Preamble	24
5.3.4	Security of a Mark Preamble.....	24
5.3.5	Field Structure.....	24
Annex A (Normative) Field Number Assignments		30
A.1	Field Number Assignments	30
A.2	Front of Check Field Number Assignments.....	30
A.3	Back of Check Field Number Assignments	33
A.4	Off-Check Field Number Assignments	34
A.5	Substitute Check Field Number Assignments - Front	37
A.6	Substitute Check Field Number Assignments - Back	37
Annex B (Informative) Considerations for Maximizing the Survivability of Security Marks		39
B.1	Overview	39
B.2	Functional Requirements.....	39
B.2.1	Multiple Symbols	39
B.2.2	Data Elements	39
B.2.3	Security Mark Placement	40
B.2.4	Minimum Print Resolution	40
B.2.5	Exposure Conditions.....	40
B.2.6	Substitute Check Considerations	41
B.3	PDF417 Symbology	42
B.3.1	Symbology Characteristics	42
B.3.2	Narrow-Element Dimension.....	42
B.3.3	Error Correction.....	42
B.3.4	Encodation of the Preamble	43
B.4	Data Matrix Symbology.....	43
B.4.1	Symbology Characteristics	43
B.4.2	Narrow-Element Dimension.....	43
B.4.3	Row Height	43
B.4.4	Orientation.....	43
B.4.5	Print Quality.....	43
B.4.6	Error Correction	44
B.4.7	Encodation of the Preamble	44
B.5	Survivability of Security Features.....	44
B.5.1	Barcode Resilience.....	44
B.6	Baselining Survivability through Ongoing Assessment	45
Annex C (Informative) Usage Considerations for Validation Responses		47
C.1	Levels of Response	47
C.1.1	Standard Responses–Level 1	47
C.1.2	Detailed Responses–Level 2	47
C.2	Use of Responses.....	47

Tables

Table 1 - Involvement of Roles in IISCSF Issuing and Validation13

Table 2 — Mark Preamble25

Table 3 — Mark Protection Profile28

Table 4 — Field Number Assignments – Front of Check33

Table 5 — Field Number Assignments – Back of Check.....34

Table 6 — Field Number Assignments – Off Check.....36

Table 7 — Field Number Assignments – Substitute Checks – Front37

Table 8 — Field Number Assignments – Substitute Checks – Back.....38

Figures

Figure 1 — Location of IISCSF Scan Area on a Personal Size Check19

Figure 2 — Illustration of an Security Mark on a Personal Size Check Showing Print Areas20

Figure 3 — Illustration of IISCSF Areas on Business Size Check.....21

Figure 4 — Illustration of IISCSF Areas on Business Size Check with Security Mark.....21

Figure 5 — Illustration of IISCSF Clear Areas on a Business Size Check.....23

Figure 6 — Illustration of IISCSF Clear Area, including a sample IISCSF, on a Business Size Check ...23